S/N 09/246,918

**PATENT** 

Examiner: Unknown

Group Art Unit: 2812

Docket: 303.455US2

## AND TRADEMARK OFFI<u>CE</u> IN THE UNITED ST

Applicant:

Karl M. Robinson

Serial No.:

09/246,918

Filed:

February 9, 1999

Title:

DEVICES HAVING IMPROVED CAPACITANCE AND METHODS OF

THEIR FABRICATION

## PRELIMINARY AMENDMENT

Box Patent Application Assistant Commissioner for Patents Washington, D.C. 20231

MAR 2 9 2000

EUHNOLITÄN OLIVALAN SEL

Before taking up the above identified application for examination, please enter the following amendments.

. ქალა ერ თუციტებე<mark>4 0924**6918**</mark>

## IN THE CLAIMS

Please add new claims 54-75.

- (New) A capacitor formed by a process comprising: 54. forming a metal capacitor plate on a substrate assembly: applying a potential across the metal dapacitor plate; and oxidizing at least a portion of the metal capacitor plate to form at least a portion of a dielectric layer.
- (New) The capacitor of claim/54, wherein the substrate assembly is formed from silicon 55. dioxide.
- (New) The capacitor of claim 54, wherein the metal capacitor plate is formed from at 56. least one metal selected from the group consisting of titanium, copper, gold, tungsten, and nickel.
- (New) The capacitor of claim 56, wherein the at least one metal is alloyed with at least 57. one additional metal selected from the group consisting of strontium, barium, and lead.